


WIND DATA PERIOD ANNUAL - DATES UNKNOWN





USAF RUNWAY WIND COMPUTER  
SCALE IN MILES PER HOUR  
0 EQUALS LESS THAN .05 PERCENT

WIND COVERAGE TABULATIONS

EXISTING RUNWAY DIRECTIONS AND COMBINATIONS				PLANNED RUNWAY DIRECTIONS AND COMBINATIONS			
% OF TRAFFIC	RUNWAY COMBINATION	LOAD BEARING CAPACITY	% COVERED	% NOT COVERED	RUNWAY COMBINATION	LOAD BEARING CAPACITY	% COVERED
*	12L-30R 12R-30L	13,000 10,000	89.2 89.2	10.8 10.8	12L-30R 12R-30L	25,000 TO BE CLOSED	89.2 10.8
*	6L-24R 6R-24L	10,000 10,000	77.6 77.6	22.4 22.4	6L-24R 6R-24L	25,000 4,677	77.6 22.4
*	17L-35R 17R-35L	10,000 10,000	93.6 93.6	6.4 6.4	17L-35R 17R-35L	25,000 5,117	93.6 6.4
X	12L-30R 12R-30L 6L-24R 6R-24L	10,000 10,000 10,000 10,000	94.4	5.6	12L-30R	7,000 x 150	89.2 10.8
+	12L-30R 12R-30L 17L-35R 17R-35L	10,000 10,000 10,000 10,000	97.7	2.3	12L-30R 12R-30L 17L-35R 17R-35L	10,000 10,000 10,000 10,000	97.7 2.3
+	6L-24R 6R-24L 17L-35R 17R-35L	10,000 10,000 10,000 10,000	97.1	2.9	6L-24R 6R-24L 17L-35R 17R-35L	10,000 10,000 10,000 10,000	97.1 2.9
*	12L-30R 12R-30L 6L-24R 6R-24L	10,000 10,000 10,000 10,000	99.9	0.1	12L-30R 12R-30L 6L-24R 6R-24L	10,000 10,000 10,000 10,000	99.9 0.1

\* INDICATES INSTRUMENT RUNWAY  
DATA FROM U.S. WEATHER BUREAU  
\* NO TRAFFIC SURVEY AVAILABLE

NOTE  
EXISTING LOAD BEARING CAPACITIES ARE SHOWN BY SINGLE OR DUAL WHEEL LOAD AS NOTED.  
PLANNED LOAD BEARING CAPACITIES ARE SHOWN AS 25,000 LBS. SINGLE OR 100,000 LBS. DUAL WHEEL LOADS.



FOSTER AIR FORCE BASE  
VICTORIA TEXAS  
VICINITY MAP  
WIND ANALYSIS  
AIRFIELD PAVEMENT

VICINITY MAP

